

Horizontal band saw machine details



Core-competitiveness

- 1、 Horizontal band saw mainly used in compound floor table board processing, and cutting-edge equipment. It is high precision, high speed, **fastest process 25 meters/ min**, ultra thin cutting **min thickness can cut 1mm**, step less speed adjusting, simple operation and convenient.
- 2、 Compare with the tradition vertical band saw, our machine can reduce about 4-5mm saw kerf and Tolerance. **Kerf only 1.2-1.6mm**.
- 3、 **Adapted with Standard Saw blades which can be brought easily in width of 55mm or 75mm.**
- 4、 Also after cutting by our machine, the timber can sanding directly. no need to go through the thicknesser. So can reduce the material loss. Also the worker can control our machine from the control panel, can reduce the risk of occupational injury.
- 5、 It is widely used in sawmills, shipyards and mountain wood cutting field for flow processing .

Sample display



Machine parts display





Gewinn United Co. LTD

Web: www.gewinnmachinery.com

Email: info@gewinn.com.cn

Model and Specification

Type	MJ250B	MJ350B	MJ450B	MJ550B	MJ650B	MJ800B	MJ1000B	MJ1300B
Saw wheel diameter	Φ700mm						Φ900mm	Φ900mm
Max.Cutting width	250mm	350mm	450mm	550mm	650mm	800mm	1000mm	1300mm
Saw plate thinnest thickness	2mm							
Blade size(mm)	4460*75* 1.6	4660*75* 1.6	4860*75* 1.6	5080*75* 1.6	5280*75* 1.6	5580*75* 1.6	6200*90* 1.6	6800*90* 1.6
Feeding speed	1-18m/min							
Main motor power	7.5kw	11kw	11kw	15kw	18kw	18kw	22.5kw	30kw
Feeding motor power	0.75kw						1.5kw	1.5kw
Lifting motor	0.37kw						0.75kw	0.75kw
Overall size(mm)	2420*1880 *1780	2420*1980 *1780	2420*2100 *1780	2420*2280 *1780	2420*2400 *1780	2420*2500 *1780	2450*2750 *1800	2450*3000 *1800

The Video link: <https://youtu.be/qo2osGpstVQ>